

STOR-MORE® DISPATCHER LOCKER-FRAMED WIRE

SPECIFICATIONS



Optional Rear Door loading for filling stock and inventory control.

Stor-More Dispatcher Lockers feature individually locked compartments making them well-suited for a variety of operations, especially where employees need to pick up daily work orders and equipment.

Sides 12-gauge 1" x 1" welded wire mesh welded into frames.

Inner Side Panel/Door Frames 14-gauge 1-1/4" x 1-1/4" angle.

Outer Door Frames 14-gauge 1 1/2" x 1" channel
Top, Bottom and Shelves 14-gauge galvanized sheet metal. Bottom shelf 1 1/2" off finished floor.

Doors 12-gauge 1" x 1" welded wire mesh welded into 14-gauge 1-1/4" x 1-1/4" angle frames equipped with two steel pin butt hinges and padlock hasp per door.

Easy Assembly Pre-punched components. Additional units can be easily connected via pre-punched holes.

Finish Machine grey powder coating, except galvanized components.

Options Rear door for loading material from behind.

Back panel 12-gauge 1"x1" welded wire mesh. Mesh top 12-gauge 1"x1" welded wire mesh.

Warranty 1 year.

**FOLDING
GUARD®**
L & P Guarding, LLC

5858 West 73rd Street
Bedford Park, Illinois 60638
Toll-free: 1-800-622-2214
Fax: 708-325-0450
e-mail: sales@foldingguard.com
www.foldingguard.com

- FRONT**
- 1 - SINGLE TIER FRONT DOOR
 - 2 - DOUBLE TIER FRONT DOOR
 - 3 - TRIPLE TIER FRONT DOOR

- DEPTH**
- 24 - 24" DEEP
 - 30 - 30" DEEP
 - 36 - 36" DEEP


- SHIPPING METHOD**
- SHIPS ASSEMBLED
 - -KD: SHIPS KNOCKED DOWN, ASSEMBLY REQUIRED

D 1 24 24 0 -KD

- WIDTH**
- 24 - 24" WIDE
 - 30 - 30" WIDE
 - 36 - 36" WIDE


- REAR**
- 0 - WELDED WIRE MESH
 - 1 - SINGLE TIER REAR DOOR
 - 2 - DOUBLE TIER REAR DOOR
 - 3 - TRIPLE TIER REAR DOOR

* 24" WIDE MODELS DEPTH GROWS BY 1.5" WHEN A REAR ACCESS DOOR IS INSTALLED




Part No.	Width	Depth	Height	Weight	Part No.	Width	Depth	Height	Weight
D1-2424-0	24"	24"	79.5"	123	D2-2430-1	24"	31.5"	79.5"	146
D1-2424-1	24"	25.5"	79.5"	148	D2-2430-2	24"	31.5"	79.5"	146
D1-2424-2	24"	25.5"	79.5"	134	D3-2430-0	24"	30"	79.5"	143
D1-2424-3	24"	25.5"	79.5"	150	D3-2430-1	24"	31.5"	79.5"	165
D2-2424-0	24"	24"	79.5"	109	D3-2430-3	24"	31.5"	79.5"	167
D2-2424-1	24"	25.5"	79.5"	134	D1-2436-0	24"	36"	79.5"	150
D2-2424-2	24"	25.5"	79.5"	134	D1-2436-1	24"	37.5"	79.5"	180
D3-2424-0	24"	24"	79.5"	125	D1-2436-2	24"	37.5"	79.5"	158
D3-2424-1	24"	25.5"	79.5"	150	D1-2436-3	24"	37.5"	79.5"	184
D3-2424-3	24"	25.5"	79.5"	152	D2-2436-0	24"	36"	79.5"	133
D1-2430-0	24"	30"	79.5"	142	D2-2436-1	24"	37.5"	79.5"	158
D1-2430-1	24"	31.5"	79.5"	165	D2-2436-2	24"	37.5"	79.5"	158
D1-2430-2	24"	31.5"	79.5"	146	D3-2436-0	24"	36"	79.5"	157
D1-2430-3	24"	31.5"	79.5"	167	D3-2436-1	24"	37.5"	79.5"	182
D2-2430-0	24"	30"	79.5"	121	D3-2436-3	24"	37.5"	79.5"	184

*30" WIDE MODELS : DEPTH GROWS BY 1.5" WHEN A REAR ACCESS DOOR IS INSTALLED



Part No.	Width	Depth	Height	Weight	Part No.	Width	Depth	Height	Weight
D1-3024-0	30"	24"	79.5"	138	D2-3030-1	30"	31.5"	79.5"	162
D1-3024-1	30"	25.5"	79.5"	165	D2-3030-2	30"	31.5"	79.5"	162
D1-3024-2	30"	25.5"	79.5"	148	D3-3030-0	30"	30"	79.5"	161
D1-3024-3	30"	25.5"	79.5"	168	D3-3030-1	30"	31.5"	79.5"	186
D2-3024-0	30"	24"	79.5"	121	D3-3030-3	30"	31.5"	79.5"	189
D2-3024-1	30"	25.5"	79.5"	148	D1-3036-0	30"	36"	79.5"	176
D2-3024-2	30"	25.5"	79.5"	148	D1-3036-1	30"	37.5"	79.5"	203
D3-3024-0	30"	24"	79.5"	141	D1-3036-2	30"	37.5"	79.5"	176
D3-3024-1	30"	25.5"	79.5"	168	D1-3036-3	30"	37.5"	79.5"	206
D3-3024-3	30"	25.5"	79.5"	171	D2-3036-0	30"	36"	79.5"	149
D1-3030-0	30"	30"	79.5"	159	D2-3036-1	30"	37.5"	79.5"	176
D1-3030-1	30"	31.5"	79.5"	186	D2-3036-2	30"	37.5"	79.5"	176
D1-3030-2	30"	31.5"	79.5"	162	D3-3036-0	30"	36"	79.5"	179
D1-3030-3	30"	31.5"	79.5"	189	D3-3036-1	30"	37.5"	79.5"	206
D2-3030-0	30"	30"	79.5"	1354	D3-3036-3	30"	37.5"	79.5"	209



*36" WIDE MODELS : DEPTH GROWS BY 1.5" WHEN A REAR ACCESS DOOR IS INSTALLED

Part No.	Width	Depth	Height	Weight	Part No.	Width	Depth	Height	Weight
D1-3624-0	36"	24"	79.5"	161	D2-3630-1	36"	31.5"	79.5"	176
D1-3624-1	36"	25.5"	79.5"	187	D2-3630-2	36"	31.5"	79.5"	178
D1-3624-2	36"	25.5"	79.5"	166	D3-3630-0	36"	30"	79.5"	178
D1-3624-3	36"	25.5"	79.5"	193	D3-3630-1	36"	31.5"	79.5"	205
D2-3624-0	36"	24"	79.5"	140	D3-3630-3	36"	31.5"	79.5"	211
D2-3624-1	36"	25.5"	79.5"	166	D1-3636-0	36"	36"	79.5"	196
D2-3624-2	36"	25.5"	79.5"	168	D1-3636-1	36"	37.5"	79.5"	222
D3-3624-0	36"	24"	79.5"	167	D1-3636-2	36"	37.5"	79.5"	192
D3-3624-1	36"	25.5"	79.5"	193	D1-3636-3	36"	37.5"	79.5"	228
D3-3624-3	36"	25.5"	79.5"	199	D2-3636-0	36"	36"	79.5"	166
D1-3630-0	36"	30"	79.5"	175	D2-3636-1	36"	37.5"	79.5"	192
D1-3630-1	36"	31.5"	79.5"	201	D2-3636-2	36"	37.5"	79.5"	194
D1-3630-2	36"	31.5"	79.5"	176	D3-3636-0	36"	36"	79.5"	202
D1-3630-3	36"	31.5"	79.5"	207	D3-3636-1	36"	37.5"	79.5"	228
D2-3630-0	36"	30"	79.5"	150	D3-3636-3	36"	37.5"	79.5"	234

Additional Shelves & Hardware

Part No.	W x D	Weight	Part No.	W x D	Weight
DS-2424	24" x 24"	12	DS-3036	30" x 36"	23
DS-2430	24" x 30"	15	DS-3624	36" x 24"	18
DS-2436	24" x 36"	18	DS-3630	36" x 30"	23
DS-3024	30" x 24"	15	DS-3636	36" x 36"	27
DS-3030	30" x 30"	19	DS-ANC	Anchors	n/a

